

# Be skeptical of *Skeptic's* skepticism of skeptics

By Christopher Monckton of Brenchley

**B**E SKEPTICAL, be very skeptical, of *Skeptic* magazine's skepticism of climate skeptics. Its current cover story is a *Climate Change Q&A*, revealingly subtitled *Climate Deniers' Arguments & Climate Scientists' Answers*:



The article, written by Dr. Donald Prothero, a geology professor at Occidental College, opens with the bold heading *How We Know Global Warming is Real and Human-Caused*.

Anyone who starts out by using the hate-speech term “Climate Deniers” – laden with political overtones of Holocaust denial – cannot expect to be taken seriously as an objective scientist.

Despite the promise of “Climate Scientists’ Answers”, only four peer-reviewed papers by climate scientists are cited among the 41 references at the end of the Professor’s article.

And the implicit notion that “Climate Deniers” are non-scientists while true-believers are “Climate Scientists” is also unreasonable. Many eminent climate scientists are skeptical of the more extremist claims made by the UN’s climate panel, the IPCC. We shall cite some of their work in this response to the Professor’s unscientific article.



*Abu Ali ibn al-Haytham, founder of the scientific method, celebrated on a modern Iraqi banknote*


## **Dodging and ducking the real questions skeptics raise**

It is at once clear that the author is approaching the question from a political and not a scientific standpoint, for he is carefully failing to ask the right questions. A genuine “seeker after truth” (al-Haytham’s beautiful phrase for the scientist) would surely have started by asking and attempting to answer the three pertinent questions that are at the core of the skeptical case he is attacking:


### **1. Is “global warming” occurring at anything like the predicted rate?**

No, it isn’t, say the skeptics. Predictions of doom have repeatedly failed.


**Sea level:** Aviso Envisat data show sea level rising in the eight years 2004-2012 at a rate equivalent to 1.3 inches (3 cm) per century. What is more, sea level in 2011-2012 was lower than in each of the previous seven years:




**Sea-ice extent:** Growth in Antarctic sea-ice extent almost matches the decline in the Arctic over the past 30 years, so that global sea-ice extent shows little change since the satellites have been watching:




**Land-based and grounded ice:** Nearly all of the world's land-based ice is on the high plateau of East Antarctica, which has cooled for 30 years, and has gained ice mass. West Antarctica shows some loss of grounded ice, and several ice-shelves around the Antarctic Peninsula have disappeared in recent years: however, that peninsula has a climate untypical of the rest of the Antarctic, and represents little more than 2% of the Antarctic land mass. Except at the coastal fringes, Greenland's vast land-based ice mass grew by a net 18 inches in thickness from 1993-2008 (see e.g. Johannessen *et al.*, 2005):




**Northern-hemisphere snow cover**, which provides the chief water supply for a billion people, reached a 30-year maximum on February 13, 2010 (snow cover is shaded):



**Tropical-cyclone activity** worldwide, expressed as the 24-month running sum of the frequency, intensity, and duration of all hurricanes, typhoons, and tropical cyclones worldwide, is almost at its least in 40 years (Maue, 2012):



**The “Global warming” rate:** Above all, in the generation since 1990, the observed warming rate has turned out below the least estimate projected by the IPCC in that year. The models agreed with one another, but events have proven the consensus wrong:



Despite rapidly-increasing CO<sub>2</sub> concentration, there has been no statistically-significant warming for a decade and a half. The post-1950 warming rate, as the least-squares trend on the Hadley/CRU surface temperature series (HadCRUt3, 2011), is just 1.2 K/century.


Yet IPCC (2007, table SPM.3, taken with fig. 10.26) implicitly predicts as the mean of all six emissions scenarios that Man’s influence, including an increase in CO<sub>2</sub> concentration from 368 ppmv in 2000 to 713 ppmv by 2100, will cause 2.8 K warming by 2100 – 0.6 K previously committed, 1.5 K from CO<sub>2</sub> emitted in this century, and 0.7 K from other greenhouse gases.

This predicted (though unalarming) more-than-doubling of the post-1950 warming rate depends upon at least three implausible assumptions:

1. that other manmade greenhouse gases will augment CO<sub>2</sub>’s contribution to warming by as much as 43%;
2. that as much as half of the warming caused by our past sins of emission has not yet come through the pipeline; and, above all,
3. that unmeasured and unmeasurable temperature feedbacks will near-triple the small direct warming from greenhouse gases.

Accordingly, two-thirds of the “global warming” predicted by the “consensus” is mere guesswork.

The first assumption lacks credibility now that methane, the most significant non-CO<sub>2</sub> greenhouse gas we emit, has stabilized: its concentration grew by only 20 parts by billion over the past decade:



The second and third assumptions will be considered a little later.

## 2. Is there any legitimate scientific reason why “global warming” should ever occur at anything like the predicted rate?

No, there isn't, say the skeptics. The warming to be expected in response to a CO<sub>2</sub> doubling is the product of three parameters:

**The CO<sub>2</sub> radiative forcing** in response to a doubling of CO<sub>2</sub> concentration, whose value of 4.4 Watts per square meter was cut by 15% to 3.7 W m<sup>-2</sup> in the IPCC's 2001 *Third Assessment Report*, and may still be overstated: it is not “settled science”;

**The Planck parameter**, whose value, as applied to the Moon (for instance in Nasa's lunar fact-sheet), had formerly been overstated by 35%, as the Lunar Diviner mission has recently revealed: so, once again, it is not “settled science”; and, above all,

**The feedback factor**, which provides the pretext for multiplying any direct warming such as that from CO<sub>2</sub> by about 3.


Even if the first two parameters have not been overstated (and they probably have been), their product, which is the CO<sub>2</sub>-induced warming where temperature feedbacks are absent or net-zero, is little more than a harmless 1 Celsius degree.

It is the temperature feedbacks, not one of which can be distinguished empirically from the others or from the forcings that triggered them, and not one of which can be measured by any method, that mark the real divide between skeptical scientists and true-believers. Revealingly, Dr. Prothero does not mention them once.

The value and even the sign of feedback multiplier are mere guesswork. Without a strongly-positive net feedback sum, there is no conceivable cause for alarm, since little more than 1 Celsius degree of “global warming” would be caused by a doubling of atmospheric CO<sub>2</sub> concentration.

The second and third of the assumptions on which the case for an alarming anthropogenic effect on global temperature imply a volatility in surface temperatures that is belied by the paleoclimate record.

That record – allowing for great uncertainties – indicates that absolute temperature has not fluctuated by more than 3% or 8 K either side of the mean in the past 64 million years (Scotese, 1999; Zachos *et al.*, 2001):




*Global mean surface temperature over the past 750 million years, reconstructed by Scotese (1999), showing variations not exceeding 8 K (<3%) either side of the 291 K (18 °C) mean.*

That 3% is enough to cause an ice age at one era and a hothouse Earth at another: but it is far too small to permit the closed-loop feedback gains of as much as 0.64[0.42, 0.74] that are implicit in the projected warming of 3.26[2, 4.5] K per CO<sub>2</sub> doubling (IPCC, 2007, p. 798, box 10.2).


In process engineering, where the mathematics of feedbacks adopted by climate science has its origins (see Bode, 1945; Roe, 2009), electronic circuits intended to be stable are designed to permit closed-loop gains of no more than 0.1:






*Climate sensitivities to CO2 doubling at closed-loop gains 0-1. The IPCC's predicted interval 3.26[2, 4.5] Kelvin implies loop gains on the interval 0.64[0.42, 0.74], implausibly far above the theoretical maximum loop gain of 0.1 derived from process-engineering theory.*

Given the Earth's formidable temperature stability, the IPCC's implicit interval of loop gains is far too close to the singularity in the feedback-amplification equation to be credible. For across that singularity, at a loop gain of 1, strongly net-positive feedback becomes as strongly net-negative: yet, as we have seen, the inferred paleo-temperature record shows no such pattern of violent oscillation:



*Climate sensitivities at loop gains -1 to 3, showing the singularity at 1.*

Empirical evidence (e.g. Lindzen and Choi, 2009, 2011; Spencer and Braswell, 2010, 2011), though hotly contested (e.g. Trenberth *et al.*, 2010; Dessler *et al.*, 2010, 2011), indeed suggests what process-engineering theory would lead us to expect: that feedbacks in the temperature-stable climate system, like those in a well-designed circuit, are at most barely net-positive and are more likely to be somewhat net-negative, consistent with a harmless continuance of the observed warming rate of the past 60 years but inconsistent with the substantially greater (though not necessarily harmful) warming rate predicted by the IPCC:



Scatter-plot correlation between changes in sea-surface temperature and changes in outgoing radiation, showing positive feedback predicted by 11 models (in red) and negative feedback inferred from satellite-based measurements, implying a true climate sensitivity of just 0.7 Celsius degrees per CO<sub>2</sub> doubling, not the far higher sensitivities predicted by models.

### 3. Even if “global warming” were to occur at the predicted rate, would mitigation now be more cost-effective than adaptation later?

No, it wouldn't. To take a single topical and typical example, carbon trading in Australia will cost \$10.1 bn/year, plus \$1.6 bn/year for administration (Wong, 2010, p. 5), plus \$1.2 bn/year for renewables and other costs, a total of \$13 bn/year, rising at 5%/year, or \$130 bn over ten years at n.p.v., to abate 5% of current emissions, which represent 1.2% of world emissions (derived from Boden *et al.*, 2010ab).

Thus the Australian policy, if it succeeded as fully as its promoters intend, could not abate more than 0.06% of global emissions over its ten-year term, during which CO<sub>2</sub> concentration would fall from a business-as-usual 410 ppmv to 409.988. Forcing abated would be minuscule, at just 0.0002 W m<sup>-2</sup>; warming consequently abated would be correspondingly negligible, at 0.00006 Celsius degrees; mitigation cost-effectiveness, which is the cost of

abating 1 K global warming by measures no less cost-effective than the policy, would be \$2,000 trillion per Celsius degree.

On the same basis, the cost of abating all projected warming over the ten-year life of the policy would be \$300 trillion, or \$44,000/head, or 58% of global GDP over the period. The cost of mitigation by such measures would exceed the cost of climate-related damage consequent upon inaction by a factor of approximately 50.

That is a typical action/inaction cost ratio. The very high costs of CO<sub>2</sub> mitigation policies and the undetectable returns in warming abated imply that focused adaptation to any adverse consequences of such warming as may occur will be far more cost-effective than attempted mitigation today.

CO<sub>2</sub> mitigation strategies inexpensive enough to be affordable will be ineffective: strategies costly enough to be effective will be unaffordable. The question arises whether CO<sub>2</sub> mitigation should any longer be attempted at all.

One would have thought that a professor of science, in an article devoted to addressing the arguments of the climate skeptics, would have stated what the skeptics' central arguments actually are: that it ain't happenin', it ain't gonna happen, and that even if it were gonna happen it would be a whole lot cheaper to adapt later than to abate now.

But no. Not a whisper of these three key skeptical arguments: and, therefore, not the slightest attempt to address rebut any of the three, still less to rebut them.

## **Blaming natural change on Man**


Instead of addressing the real arguments that the skeptics advance, the Professor prays in aid a tedious and serially inaccurate litany of imagined (and imaginary) climatic disasters to suggest that there are “converging lines of evidence” that “global warming is real and primarily human-caused”.

In a rational world, it would be necessary only to point out that the fact of phenomena caused by warming tell us nothing about how much of the warming was caused by Man and how much by Nature.

To attribute most or all of the recent warming to Man without offering any evidence for the attribution, as the Professor does, is to perpetrate the ancient logical fallacy of argument from ignorance.


These days, alas, professors of science do not start – as once they all did – by studying logic, so they too often fall into elementary logical errors of this kind. Nevertheless, let us examine each of the Professor's articles of faith or “lines of evidence”.

**The “hockey stick”:** Astonishingly, Dr. Prothero’s first article of faith is the infamous and now utterly discredited “hockey-stick” graph of reconstructed northern-hemisphere temperatures published by Mann *et al.* (1998) and recycled six times in large scale and in full color by the IPCC in its 2001 report:



The IPCC even adopted this graph as its logo until McIntyre and McKittrick (2003, 2005) showed it to be a fabrication. It is called the “hockey stick” because its shaft is the apparently-unchanging temperature of the past 1000 years and its blade is the startlingly (and implausibly) sudden uptick in temperature in the 20<sup>th</sup> century.

This infamous graph not only falsely wiped out the mediaeval warm period but also, by covering the northern hemisphere only, enhanced by at least half the true temperature increase over the 20<sup>th</sup> century, giving the misleading impression that temperatures since 1950 have been unprecedented in the past 1300 years:




The graph looks considerably less terrifying if the overstated warming of the 20<sup>th</sup> century is removed.

Even the very context of the graph is misleading. For, even if the warming of the past 60 years took the Earth to temperatures not seen since 800 AD, almost two-thirds of the 11,400 years since the end of the last Ice Age were warmer than the present. In particular, between 6000 and 10,000 years ago the temperature was up to 6 C° warmer than the present.

Very briefly, we shall summarize the earlier stages in the campaign of disfiguring machination on the part of the climate “scientists” who – but for Steve McIntyre and his colleague Professor Ross McKittrick – would have succeeded in gravely misleading the world’s policymakers.

We begin in 1990, when the IPCC clearly showed the existence of the medieval warm period in a schematic (here coloured for clarity) in its *First Assessment Report*:



The medieval warm period had in fact been up to 3 Celsius degrees warmer than today’s temperatures, as numerous papers in the peer-reviewed literature clearly demonstrate. The best source for such papers is the Medieval Warm Period Database at [www.co2science.org](http://www.co2science.org), which cites papers by more than 1000 scientists from more than 600 institutions in more than 40 countries over 25 years demonstrating by dozens of distinct proxies for measured temperatures that the mediaeval warm period was real, was global and was warmer than the present.

In 1995 Dr. Ken Overpeck, a senior researcher into the history of the early climate, sent an email to Professor David Deming, a climate researcher specializing in the reconstruction of pre-thermometer temperatures by drilling boreholes and measuring the temperatures at various depths. The email was as astonishing as it was revealing. The author told Professor Deming, “We have to abolish the medieval warm period” (Deming, 2005). Not “we need to re-examine the temperature record of the past millennium”, nor “we need to see whether it was truly global”, but “we have to abolish the medieval warm period.”

The existence of a prolonged warm period so recently in the Earth's climate history was making it impossible for the environmental extremists driving the climate scare to convince the world's policymakers that today's comparatively temperate temperatures were anything to worry about. The "hockey stick", therefore, was a deliberate attempt to falsify the true climate record.

In 1998/9, just four years after Dr. Deming had been told that "we have to abolish the mediaeval warm period", three paleoclimatologists (Mann, Bradley and Hughes, 1998, 1999) first published the "hockey stick" graph in the journal *Nature*. In 2001, the IPCC's climate report prominently featured the defective graph.

The IPCC's politicized bureaucrats liked the graph so much that they reproduced it six times, in very large scale, and in full color. The "hockey-stick" graph was the only graph in the entire 2001 assessment report that was reproduced as often as this.

The fabricators of the graph had used the varying widths of tree-rings as their principal method of estimating early-climate temperatures. They had unwisely assumed that wider tree-rings always indicated warmer temperatures. However, the IPCC had previously – and correctly – given strong warnings against using tree-rings as proxies for pre-instrumental surface temperatures.

One reason for the IPCC's warnings was that wider tree-rings do not always indicate warmer temperatures. Trees grow faster not only when it is warmer but also when there is more CO<sub>2</sub> in the atmosphere. For CO<sub>2</sub> is not a pollutant but a naturally-occurring trace gas that is food for plants and trees.


I once told an astonished group of environmentalists at a conference in a tent in the Cotswold countryside that the carbon in the tree-trunks all around them came not from the ground but from the CO<sub>2</sub> in the air. With sunlight, chlorophyll, and water, CO<sub>2</sub> is an essential ingredient in plant photosynthesis, without which there would be little or no life on Earth.

Seen in a geological perspective, the pre-industrial concentration of carbon dioxide was almost as low as it has been in the past half-billion years. Indeed, even the present concentration is well below what has been the norm in recent geological history. In the Cambrian era, for instance, a diagram in the IPCC's 2001 *Third Assessment Report* shows that carbon dioxide concentration was almost 20 times that of today. Yet that was the era when the calcite corals first achieved algal symbiosis and came into existence. So the notion that doubling today's CO<sub>2</sub> concentration will cause harm to corals or to other calcifying or shell-forming organisms in the oceans is fatuous.

Tree-rings, then, were unsuitable because what is known as CO<sub>2</sub> fertilization distorted the data. In particular, the tree-rings from bristlecone pines are known to be unreliable as indicators of past temperature changes. The fabricators of the "hockey stick" nevertheless used bristlecone-pine tree-rings very heavily.

Wherever they found a tree whose rings suggested there had been a sharp and unusual warming in the 20<sup>th</sup> century, gave that tree-ring 390 times as much weight as any of the other data they used. That way, they hoped, they would get the hockey-stick shape they wanted.


This shape allowed them to do what David Deming had been told that the environmentalist faction wanted to do – namely, to “abolish the medieval warm period” and pretend that today’s temperatures were likely to have been unprecedented in the past 1000 years.



Tree-rings from Sheep Mountain, California, in the upper panel, showed the desired “hockey-stick” shape, falsely suggesting a pronounced uptrend in the 20th century. They were given 390 times more weighting in compiling the “hockey-stick” graph of pre-thermometer temperatures than tree-rings from Mayberry Slough, AZ, in the lower panel, that correctly suggested a far less dramatic picture.

Not only did the fabricators of the “hockey stick” use tree-rings that the IPCC had said should not be used as proxies for pre-thermometer temperatures; not only did they give these questionable proxies almost 400 times more weight than proxies that did not give them the hockey-stick shape they wanted; but they also used a computer program to compile the “hockey stick”.

The program very nearly always produced the intended alarming 20<sup>th</sup>-century uptick even if the true data from the tree-rings and other methods of reconstructing pre-thermometer temperatures were replaced by a type of random data – nothing to do with the climate of previous centuries at all – known as red noise:



The indefatigably persistent Steve McIntyre wrote and wrote and wrote again to the authors of the “hockey stick” to ask them to let him have their data and their computer program. The authors, in flagrant contravention of the scientific conventions requiring that they should share their methods with other scientists to make sure that everything had been done correctly, refused and refused and refused to part with their material.

It was precisely this refusal to share necessary information and material that the authors of the “hockey stick” at first tried to get away with. As this tale unfolds, we shall see other instances of such wilful attempts on the part of climate-extremist scientists to hide the essential details of their research from others who want to play their part in the scientific method by checking it to eliminate any errors.


In the end, however, Steve McIntyre simply wore the “hockey team” down. Eventually, albeit with a very bad grace, the lead author sent Steve a disorganized clutch of computer files that formed the basis for the “hockey stick” graph.

Steve, in examining the untidy material he had been sent, found a particularly revealing file entitled “CENSORED\_DATA”. In that file, he found an archive of just 20 tree-ring records. He saw that all of these temperature reconstructions were also included among the hundreds of other reconstructions that had been combined to form the “hockey stick”, which is the pale grey curve labelled “MBH” on the graph above.

Steve decided to remove the 20 “CENSORED\_DATA” records and then to run the authors’ own computer program to see what happened. To his amazement, the mediaeval warm period promptly reappeared. He inferred that the abolition of the mediaeval warm period that Professor Deming had been told about had been achieved by the insertion of these 20 questionable tree-ring temperature



reconstructions. Without them, the warm period remained clearly visible in the graph that the authors' methods, data and computer algorithm produced. It is the black curve on the graph below, with the mediaeval warm period labelled "MWP" in red:



Steve McIntyre was astonished by what he had found. The graph that the IPCC had adopted as its own logo, abolishing the mediaeval warm period and falsely making it appear that the global temperatures of the late 20<sup>th</sup> century were unprecedented in 1300 years, had been produced by methods that were, to say the very least, questionable.

Steve knew that, on his own, he would be unable to exercise enough clout to get his iconoclastic results published in the peer-reviewed journals, which had enthusiastically adopted the climate-extremist storyline and were increasingly reluctant to print anything, however scientifically rigorous and objectively true, that question the official position. *Nature*, to its eternal discredit, had even gone so far as to issue a public declaration that papers sceptical of the IPCC's climate extremism would not in future be welcomed, still less printed.

He approached Dr. Ross McKittrick, Professor of Economics at the University of Guelph in Canada. Ross had access to the journals and already had an extensive publication record. He had plenty of experience in the arcane art of writing scientific papers. So, although it was Steve who had first noticed the errors in the graph, it was Ross who wrote up the results for publication, naming Steve as the lead author in the two blockbuster papers, published in 2005, that exposed the graph as fabricated nonsense.

It is McIntyre and McKittrick who, when the history of the now-collapsing climate scare comes to be written, will be remembered as having done more than anyone to

expose the corruption at the heart of the discredited scientific case for climate panic. The world has very good reason to be grateful to them. Advancement these days comes not so much by being right as by being fashionable. In daring to be right and not fashionable, Ross McKittrick in particular was putting his career and his scientific reputation on the line. No government would thank him. No Nobel committee would reward him. Yet if anyone truly deserves a Nobel Prize, it is these two great men, who damned the torpedoes and sailed full steam ahead in the direction of truth.

Now, an honest Professor, even if *per impossibile* he genuinely believed Mann's ludicrous graph, would at least have informed his readers that the graph had been – to put it mildly – challenged, and that it is regarded by scientists as having a validation skill vanishingly different from zero (see, for instance, the National Academy of Sciences' report, which found the data before 1600 inadequate to support Mann's conclusion, or the Wegman statisticians' report of 2006 for the US House of Representatives, which upheld McIntyre and McKittrick at all points).

An honest Professor would at least have mentioned the papers by more than 1000 scientists in more than 400 institutions in more than 40 countries over the past 25 years that provide – to use his phrase – “converging lines of evidence” (at [www.co2science.org](http://www.co2science.org), for instance) establishing that the medieval warm period was real, was global, and was warmer than the present.

For graphical illustrations of some of the data establishing the existence, extent, and magnitude of the medieval warming, see e.g. Bjorck *et al.* (2006); Chu *et al.* (2002); Dahl-Jensen (1998); Grinsted *et al.* (2006); Gupta *et al.* (2005); Hallett *et al.* (2003); Holzhauser *et al.* (2005); Khim *et al.* (2002); Mangini *et al.* (2005); Noon *et al.* (2003); Pla *et al.* (2005); Qiang *et al.* (2005); Rein *et al.* (2004, 2005); Seppa and Birks. (2002); Tyson *et al.* (2000); Williams *et al.* (2004); Wilson *et al.* (1979).

But no. The Professor gives only one side of the story. He says there were “minor warming events during the Climatic Optimum about 7000 years ago [in fact, the Holocene Climate Optimum endured for 4000 years, and for most of that time the temperature was 2-3 Celsius degrees above today's], the medieval warm period, and the slight cooling of the Little Ice Age in the 1700s and 1800s: but the magnitude and rapidity of the warming represented by the last 200 years is simply unmatched in all of human history”.

Rubbish. Most of the past 11,400 years since the end of the last Ice Age were warmer than the present, sometimes considerably so: and, when that Ice Age ended, temperatures in Antarctica, as reconstructed from the ratios of two distinct isotopes of oxygen in air trapped in layers of ice there, rose by 5 Celsius degrees in just three years.

For comparison, the warming of the entire 20<sup>th</sup> century was 0.74 Celsius degrees, and there has been no warming in the 21<sup>st</sup>. Nothing in the recent temperature record is in any way beyond the natural variability of the climate.


**Melting ice caps:** The Professor says, “The polar icecaps are thinning and breaking up at an alarming rate.” He says that in 2000 there was no ice at the North Pole for the first time.

Nonsense. In 1959, for instance, the USS submarine *Skate* surfaced at the North Pole and took a photograph showing the submarine surrounded by open water as far as the lens could see.

“Leads” – open areas of water in pack-ice – are a well-known and frequent phenomenon. Yes, the sea-ice extent in the Arctic summer has declined considerably since 1979, when the satellites were first able to measure it reliably: but the satellites began their measurements at a time when sea-ice extent was unusually high.

From earlier maps of ice extent around Greenland, for instance, it is not unreasonable to infer that Arctic sea-ice extent may have been less in the 1920s and 1930s than it is today. Our records are simply too short to provide a legitimate scientific foundation for the alarming conclusion favored by the Professor.

Culpably, the Professor finds it politically inexpedient to mention the scientific fact that sea-ice extent in the Antarctic has grown throughout the satellite era because the continent has been cooling (Doran *et al.*, 2002; University of Illinois Antarctic sea-ice extent, 1979-2012):



Global sea-ice extent, therefore, has barely changed throughout most of the past 30 years, though there has been a small decline in the past few years. Instead, the Professor finds it politically expedient to mention the disappearance of the Larsen B ice shelf in the Antarctic Peninsula, where the climate is different from the rest of Antarctica, and he is carefully silent about the fact that Larsen B was not there in the medieval warm period (Pudsey *et al.*, 2006).

He suggests that polar bears, seals and walruses will come to harm if the ice melts: but they somehow managed to survive the past 11,400 years, during most of which the weather was warmer and the ice extent probably less for much of the time than it is today.

**Melting glaciers:** The Professor says: “Glaciers are all retreating at the highest rates ever documented.” No, they’re not. In Greenland, for instance, some glaciers are receding, but others are advancing.

In the Alps, recent glacial recession has revealed mountain passes, forests, and even an entire medieval silver mine that were covered in advancing ice as the medieval warm period ended.

In the Himalayas, the IPCC has had to retract its claim that all the glaciers would be gone in 25 years, and a recent paper has confirmed the opinion of Prof. Bhat of the Indian Geological Survey that there is no systemic change in glacial ice.

In the Cordillera de Merida in the tropical Andes, all but the highest peaks were ice-free throughout the past 11,400 years: there is more ice there now than usual (Polissar *et al.*, 2006).


**Snow cover:** The Professor also says not only snow-melt but also the glaciers “provide most of the freshwater that the populations below the mountains depend on”. No, they don’t.

It’s the snow-melt alone that provides very nearly all the fresh water that comes down the glacial rivers: and, though the Professor fails to say so, the extent of snow cover in the Northern Hemisphere not only shows no decline at all: it reached a record high just two years ago (Rutgers’ University Snow Lab northern-hemisphere snow-cover extent, 1979-2011).

**Heat-waves:** The Professor mentions “record heat-waves over and over again, killing thousands of people, as each year joins the list of the hottest years on record”.

However, he is silent about the hundreds of cold-weather records broken in the US and Canada in the most recent winter, which also saw unprecedented Arctic conditions across most of eastern Europe, with temperatures of –40 Celsius or Fahrenheit in some places ; or, in 2010, the second-coldest December since records began in Britain in 1659; or the fact that cold snaps kill far more people than heat-waves.

Also, there has been some extreme cold in the Arctic recently: so much so that the southern sea-ice extent in the Bering Sea near the Pribilof Islands set a new record early in 2012:



In Britain alone there are some 200 micro-climate zones. In each zone, a dozen extreme-weather events may occur. Accordingly, one would expect thousand-year weather events to occur quite frequently somewhere in Britain and, *a fortiori*, worldwide.

The mere fact of extreme weather tells us nothing about its cause: and our data are simply inadequate to tell us whether the pattern or frequency of extreme weather around the world is in any way unusual.

**Sea-level rise:** The Professor' section on sea level rise is a series of outright falsehoods:

“At present, the sea level is rising about 3.4 mm per year ... Geological data show that the sea level was virtually unchanged over the past 10,000 years since the present interglacial began ... most scientists predict sea levels will rise 80-130 cm in just the next century. A sea level rise of 1.3 mm (almost 4 feet) would drown many of the world's low-elevation cities ... and low-lying countries. A number of tiny island nations such as Vanuatu and the Maldives, which barely poke out above the ocean now, are already vanishing beneath the waves. ... If all the glacial ice caps melted completely ... sea level would rise by 65 m (215 ft).”

Every word of this section is nonsense. According to the Envisat satellite, during its eight-year life (just ended), sea level rose at a rate equivalent to just 3 cm (1.3 inches) *per century*, not the 34 cm (1 ft) per century that the Professor implies is the current rate. Sea level last year was actually lower than in any of the previous seven years.

Geological data indicate that sea level has risen by 130 meters (400 feet) since the end of the last Ice Age, giving the lie to the Professor's statement that "sea level was virtually unchanged over the past 10,000 years".

The IPCC predicts a sea level rise of 6 inches to 2 feet, with a central estimate of around 1 foot, for the whole of the next 100 years, not the 3-4 feet suggested by the Professor.

Also, a sea-level rise of 4 feet would not drown low-elevation cities: given the very slow rate of rise (8 inches over the 20<sup>th</sup> century, and perhaps about the same this century), cities will have plenty of time to build sea walls if necessary.

Contrary to what the Professor says, Pacific atolls are the last places on Earth that will suffer from sea-level rise, because they are made of coral, which grows towards the light whenever seawater covers it. That is why, after 11,400 years of sea level rise, all of the atolls are at or just above sea level. That is how they would remain even if there were several feet of further sea-level rise.

A recent paper has shown the atolls growing as sea level rises: but on most of the atolls there has been no sea-level rise in the past half century and more.

And – again contrary to the Professor's unscientifically doom-laden article – there is no danger of all the glacial ice melting completely. On the high plateaux of central Greenland and East Antarctica, which between them account for very nearly all of the world's land-based ice, temperatures are too low to allow substantial melting.

IPCC (2007) says that (subject only to "dynamical ice flow" for which there is no empirical evidence) it would take several millennia of temperatures at least 2-5 Celsius degrees above today's before even half of the Greenland and West Antarctic ice sheets might melt. Even then, the bulk of the world's ice, on the high plateau of East Antarctica, would be almost entirely unaffected.

Dr. Niklas Mörner, who has written some 550 scientific papers over his 40-year career studying sea level, predicts that sea level this century will probably be below the 8 inches we saw in the last century (see, e.g., Mörner, 2011).

## **Setting up and knocking down straw men**

Next, the Professor resorts to another wearily familiar tactic: he sets up and knocks down a series of straw men in place of the real arguments that climate skeptics actually present.

This technique, the unfailing hallmark of a lesser mind, is an instance of the shop-worn and fundamental logical fallacy of *ignoratio elenchi*, the introduction of red herrings that have nothing whatever to do with the matter under discussion.


**“It’s just natural climatic variability”**: The Professor accuses skeptics of arguing that all of the warming at present arises from the natural variability of the climate.

Skeptics certainly argue that the rate of warming we have seen over the past century falls well within the natural variability of the climate. However, at the same time, they acknowledge that, since Tyndall’s experiment at the Royal Institution in London in 1859, the warming effect of CO<sub>2</sub> and other greenhouse gases has been empirically established.

Some of the warming of the past century may indeed be attributable to CO<sub>2</sub>: but the central point made by skeptics is that even if all of that warming were manmade the rate of warming over the past 60 years has been only one-third to one-half of the IPCC’s central projection for the present century.

Nor is there any legitimate scientific reason to suppose that there will be much acceleration of that long-run warming rate, because each additional CO<sub>2</sub> molecule we release back into the atmosphere has less of a warming effect than its predecessors.

Diminishing returns have set in, so that it is not scientifically credible to predict the very rapid acceleration in the warming rate that is implicit in the IPCC’s central projection of global warming. That is the skeptics’ case: but that is not the case the Professor addresses.



**“It’s just another warming episode, like the medieval warm period or the Holocene climate optimum or the end of the little ice age”**: Again, this is an artful misstatement of the true skeptical position.

Skeptics consider, along with the National Academy of Sciences' critique of the "hockey stick" graph, that the temperature proxy data are simply inadequate to tell us at what rate most previous warmings occurred (though the ice cores do tell us that the warming at the end of the Younger Dryas cooling event 11,400 years ago was many times greater than anything that is likely to have occurred since).

What we can say with reasonable confidence, however, is that most of the last 11,400 years were warmer than the present, indicating that absolute temperature today is very far from unprecedented and, therefore, very unlikely to cause real harm.

The Professor gives a highly partisan account of the medieval warm period, unfairly omitting to state that the vast majority of the published literature on that period finds that the weather was warmer then, not just in the North Atlantic and in Europe but worldwide.

It is chiefly the model-based, rather than observation-based, papers that try to tell us that the medieval warm period was not warmer than the present. History, archaeology, and hundreds of reconstructions by proxy of pre-instrumental temperatures say the medieval warm period was just that.

**"It's just the sun, or cosmic rays, or volcanic activity, or methane":** No, the skeptics do not believe that Nature alone can cause warming. Man is capable of having an influence. The skeptical position is that there is no good scientific evidence that Man's influence has been or ever will be anything like as great as the once-official projections have suggested.

It is a truism that very nearly all of the heat that reaches Earth comes from the Sun. It is also becoming well established that increases in solar output are capable of displacing cosmic rays that would otherwise enter the Earth's atmosphere and assist in the nucleation of water droplets to form clouds, so that during the near-maximum of solar output over the past 11,400 years, which occurred from 1925-1995 and peaked in 1960, the warming influence of the Sun was greater than the very small change in incoming solar radiation would have led us to expect.

Volcanic activity has a small and temporary effect. Methane concentration has not risen by more than 20 parts per *billion* by volume over the past decade, suggesting that it is a very small contributor – indeed, even smaller than the IPCC has tried to suggest.

On balance, therefore, the skeptics consider that Man may have had some influence on temperatures over the past 60 years, but that even if our influence had accounted for all the warming, the rate of warming caused by us has been and will continue to be too slow to cause unavoidable harm.

**"We had record snows in the winter of 2009-2010, and also in 2010-2011":** Skeptics will indeed draw attention to cold-weather records, but only in the



context of pointing out that it is unreasonable for supporters of the once-official position to single out only the hot-weather events, as the Professor himself does.

The IPCC, for once, is right when it says that individual extreme-weather events cannot safely be attributed to exclusively to manmade “global warming”: and, by the same token, skeptics are prepared to accept that they cannot safely be attributed exclusively to Nature either.

**“The climate records since 1995 (or 1998) show cooling”:** Once again, though skeptics will rightly agree with Prof. Jones of the University of East Anglia that there has been no statistically-significant warming since 1995, the significance they attribute to this stasis of more than a decade and a half in global temperatures is not that there is no such thing as “global warming”, nor that Man cannot exercise any influence of the climate.

Instead, the recent stasis in the global temperature trend implies that the long-run rate of warming a) is not accelerating as the IPCC had mendaciously tried to suggest; and b) will prove to be considerably lower than the IPCC’s projections.

In the global instrumental temperature record, periods of a decade or so without warming are frequent. They do not indicate that there is no such thing as a long-run warming trend, because the data establish quite clearly that there is.

However, they do indicate that the long-run warming trend is unlikely to be very substantial, and – thus far, at any rate – the actual temperature data bear this out.

The warming rate over the past 62 years is equivalent to little more than 1 Celsius degree per century. A very considerable and frankly implausible increase in that warming rate would be required before any real climatic harm could be expected: and even then it would be at least an order of magnitude more cost-effective to adapt to the warming the day after tomorrow than to try to abate it today.

**“Carbon dioxide is good for plants, so the world will be better off”:** Well, yes, CO<sub>2</sub> is good for plants, and skeptics say so: but they do not, as the Professor implies, say that it is so good for plants that no consideration should be given to the potentially harmful effects of the warmer weather it may cause.

One of these supposedly harmful effects, according to the Professor, is heat and drought in the Great Plains of the US. He should perhaps read *The Grapes of Wrath*, which gives a fascinating account of life in the great droughts of the first half of the 20<sup>th</sup> century in the Great Plains: droughts of which the like has not been seen in the warmer second half of the 20<sup>th</sup> century. This is just one example of the failure of computer models to predict either global or regional trends correctly.

A proper balance between costs and benefits, advantages and disadvantages, must be struck: and, since there is no legitimate reason to suppose that the warming rate will accelerate much beyond what we have observed over the past 62 years, skeptics

consider that the benefits of CO<sub>2</sub> fertilization are very likely to outweigh the disadvantages (if any) of slightly warmer weather.

The Professor then mentions that the additional CO<sub>2</sub> in the atmosphere is making the oceans “more acidic”. That is bad science. The oceans are pronouncedly alkaline. Adding CO<sub>2</sub> to the atmosphere may make the sea very slightly less alkaline, but it cannot make it acidic.

Besides, the effect is offset to some degree by warmer weather and consequent outgassing of CO<sub>2</sub> from the oceans.

It is worth putting some quantities into the argument (for the Professor very seldom uses quantities, though they are the vocabulary of true scientific discourse). The pH of the oceans is thought to be 7.8-8.1, where 7 is neutral. By comparison, rainwater, with a pH of 5.4, is pronouncedly acid.

There is no sufficiently detailed global measurement of ocean pH to establish a reliable worldwide trend. However, experiments have demonstrated that, even at atmospheric CO<sub>2</sub> concentrations of up to 6000 ppmv (compared with today’s 393), shell-forming or calcifying organisms thrive. Like the “global warming” scare, the “ocean acidification” scare has probably been more than somewhat exaggerated.

**“I agree that climate is changing, but I’m skeptical that humans are the main cause, so we shouldn’t do anything.”** Yet again, this straw man is an inadequate and disfiguring caricature of the skeptical position, which is that even if humans are the sole cause of the warming that has occurred since 1950 it is still at least an order of magnitude (i.e. 10 times) more cost-effective to adapt later than to abate the warming by CO<sub>2</sub> mitigation measures today.

Some scientists who live on taxpayers’ money seem to think that our generosity is infinite, so that their every whim can be indulged regardless of the cost to others. Those days are now over.

Almost everywhere in the West, governments are bankrupt. Indulging fantasies such as “global warming” makes very little sense given the very large holes in the scientific argument, and makes no sense at all given that the cost of the insurance premium exceeds the cost of the damage that might arise from the risk insured. Since the cost of the premium exceeds the cost of the risk, don’t insure. That is a precautionary principle worthy of the name.

The Professor ends the “straw-men” section by saying: “We can rule out any other suspects: solar heat is decreasing since 1940 [actually, since 1960], and not increasing, and there are no measurable increases in cosmic rays, methane, volcanic gases, or any other potential cause. Face it – it’s our problem.”

And that is a splendidly clear instance of the *argumentum ad ignorantiam* – the decrepit logical fallacy of argument from ignorance. We do not know what is causing

the far from exceptional warming that stopped in the late 1990s: so, says the Professor, let us blame it on Man. In any previous generation, such intellectual vapidness would have been laughed at.

### **“Why Do People Continue To Question the Reality of Climate Change?”**

The Professor’s central reason why people ought not, in his opinion, to question “the reality of climate change” is that “as in the evolution/creationism debate, the scientific community is virtually unanimous on what the data demonstrate about anthropogenic global warming.” This is yet another tired logical fallacy: that of the *argumentum ad populum* – argument from mere head-count.

The Professor, as is his wont, selects only one side of the story to present to his readers. He cites a paper by Naomi Oreskes, who, he says, “surveyed all peer-reviewed papers on climate change published between 1993 and 2003 in the world’s leading scientific journal, *Science*, and found there were 980 supporting the idea of human-induced global warming and none opposing it”.

What he is careful not to say is that Oreskes is not a scientist, let alone a climate scientist; that she surveyed not “all peer-reviewed papers” but all peer-reviewed papers containing the phrase “global climate change”, and was compelled to publish a belated corrigendum to make this clear; that her criteria were not as he states them to be; and that, in any event, skeptical scientists accept that Man’s emissions of CO<sub>2</sub> can cause “global warming”, but they do not consider it dangerous.

The Professor is also careful not to mention the survey by Dr. Klaus-Martin Schulte (a scientist, though not a climate scientist), who carried Oreskes’ research forward a few years from her closing date of 2003 and found that not one of 539 further papers containing the same search phrase provided any evidence that manmade “global warming” would do any harm at all.

The Professor also, inevitably, trots out the results of two “surveys” of climate scientists, but carefully fails to mention that one of the surveys was an unscientific, self-selected sample of just 79 scientists, of whom 77 agreed (as skeptical scientists would agree) that the weather has been getting warmer and that Man is at least partly responsible, and that the other survey – in fact, not a survey at all, but a compilation of names of scientists who had signed various petitions and had otherwise indicated a political preference on the issue - claimed that 97-98% of the most prolific climate researchers believed that “anthropogenic greenhouse gases have been responsible for most of the unequivocal warming of the Earth’s average global temperature over the 20<sup>th</sup> century.” This “survey” was evidentially valueless, because no scientist was actually asked for his or her opinion. Opinions were imputed to them by the compilers of the “survey”. Again, many skeptical scientists would agree that the world warmed in the 20<sup>th</sup> century, and would accept that at least some of that warming (if not necessarily most of it) was caused by us.

But the fact of manmade warming is not at issue. The real question is whether the rate of warming caused by us is likely to prove catastrophic. Yet neither of these much-quoted surveys asked whether the “unequivocal” warming would eventually prove catastrophic: for the assent to any such proposition would be likely to be well below 98%.

The Professor goes on to say: “Every major scientific organization in the world has endorsed the conclusion of anthropogenic climate change as well.” Three problems with that. It is the logical fallacy of argument from consensus; it is the logical fallacy of the argument from appeal to authority; and it is not true.

Members of the Japanese Academy of Sciences have described the true-believers’ position as being no better than a belief in astrology; the Russian Academy under Dr. Illarionov, having heard both sides, rejected the alarmist position as politically motivated; the former director of the Dutch Meteorological Institute has rejected the alarmist view of “global warming”; the Royal Society, having relieved itself of the Marxist president under which its original and embarrassingly absurd statement on “global warming” had been published, has rewritten it from top to bottom to take out nearly all of the extremist nonsense to which the Professor appears uncritically to subscribe; and a Norwegian expert group has recently issued a report saying that proper attention must now be paid to determining the influence of natural variability on recent climatic change.

The Professor then speculates - politically, rather than scientifically – about the supposed evils of what he calls the “right-wing institutes”, Exxon Mobil, etc.

He cites a bogus memorandum publicized by Peter Gleick, the now-discredited head of scientific “ethics” at the Pacific Institute, alleging that the Heartland Institute was “trying to influence science education, suppress the work of scientists, and had paid off many prominent climate deniers, such as Anthony Watts, all in an attempt to circumvent the scientific consensus by doing an ‘end run’ of PR and political pressure. Other leaks have shown 9 out of 10 major climate deniers are paid by Exxon Mobil.” [For the record, the author of the present paper is not paid by anyone.]

Culpably, the Professor does not make it clear that the memorandum he cites was bogus or that the Heartland Institute has repudiated it. Here as elsewhere, he carefully fails to give both sides of the argument.

His attack on the “right-wing institutes” is a shoddy instance of the logical fallacy of the *argumentum ad hominem* – of attacking the arguer rather than arguing against his argument. The *argumentum ad hominem* has no place in scientific discourse, and any scientist who resorts to it disqualifies himself from being taken seriously.

The rest of this section is an extended rant – *ad hominem* throughout – which compares “climate deniers” or “denialists” with those who believe, on the basis of Bishop Ussher’s amiably barmy calculations of the generations from Adam to Jesus

as described in the Bible, that the world was created one Thursday afternoon in April of 4004 BC. It is not worthy of the Professor; it is not worthy of science; and it is not worthy of a detailed reply.

## **“Science and anti-science”**

The final section of the Professor’s unscientific – indeed, anti-scientific – article is amusingly entitled “Science and anti-science”. He says: “The conclusion is clear: there’s science, and then there’s the anti-science of global warming denial.” He repeats the logically-fallacious argument from consensus, and the *ad-hominem* attacks on “deniers” as be no better than “creationists”.

He cites various corporations (such as insurance companies) as supporting his position, but is careful not to point out that, though they have no qualifications to do so, that they do have a direct and substantial financial vested interest.

He even prays the Pentagon in aid, saying that the National Defense University has been “making contingency plans for how to fight wars in an era of global climate change”.

The Pentagon, too, has a direct financial vested interest in trying to get a share of the lavish climate cake from the US Government, but the Professor somehow ascribes motives of financial vested interest only to those with whom he disagrees.

## **Conclusion**

When historians of science come to discuss the bizarre intellectual aberration that is the belief in catastrophic manmade “global warming”, Professor Prothero will not merit so much as a footnote.

Most of his own footnotes are references are to tendentious, politicized websites such as “skeptical”-science, “real”-climate or Exxon-“secrets”. Only four of them are to peer-reviewed papers by climate scientists.

The only remarkable thing about the much-recycled arguments from the far-out Left that he so turgidly regurgitates is that any news medium would still be ignorant enough, uncritical enough, prejudiced enough and unashamed enough to print them.

Unless and until climate scientists learn to leave hard-Left politics at home and start to discuss the scientific arguments of skeptics scientifically, they will remain unheeded.

Perhaps the most interesting question that historians will address, when looking back on the “global warming” scare, is how it came about that a tiny handful of determined skeptics, with little or no funding and no official backing, defeated the lavishly-funded Governments, scientific academies, news media, environmental

groups, universities, schoolteachers, corporations and “global-warming” profiteers such as Al Gore.

How did this tiny band succeed in convincing the population that – as repeated opinion polls now demonstrate – catastrophic manmade climate change is the very least of the environmental concerns they should worry about?

One answer to that interesting question is surely this. The climate-extremists have the money, the power and the glory, but the skeptics have the truth.

## References

Australian Bureau of Meteorology (2010), Methane concentration anomalies at Baring Head, Australia, 1990-2009.

Aviso Envisat (2012), Unadjusted global sea level anomalies, 2004-2012, [ftp://ftp.avisioceanobs.com/pub/oceano/AVISO/indicators/mssl/MSL\\_Serie\\_EN\\_Global\\_IB\\_RWT\\_NoGIA\\_NoAdjust.txt](ftp://ftp.avisioceanobs.com/pub/oceano/AVISO/indicators/mssl/MSL_Serie_EN_Global_IB_RWT_NoGIA_NoAdjust.txt).

Bjorck, S., T. Rittenour, P. Rosen, Z. Franca, P. Moller, I. Snowball, S. Wastegard, O. Bennike, and B. Kromer (2006), A Holocene lacustrine record in the central North Atlantic: proxies for volcanic activity, short-term NAO mode variability, and long-term precipitation changes, *Quaternary Science Reviews* 25: 9-32.

Bode, H.W. (1945), *Network analysis and feedback amplifier design*, Van Nostrand, New York, USA, 551 pp.

Boden and Marland (2010a), *Global CO2 Emissions from Fossil-Fuel Burning, Cement Manufacture, and Gas Flaring, 1751-2007*, Carbon Dioxide Information and Analysis Center, Oak Ridge, Tennessee, USA.

Boden *et al.* (2010b), *Ranking of the world's countries by 2007 total CO2 emissions from fossil-fuel burning, cement production, and gas flaring*, Carbon Dioxide Information and Analysis Center, Oak Ridge, Tennessee, USA.

Chu, G., J. Liu, Q. Sun, H. Lu, Z. Gu, W. Wang, and T. Liu (2002), The 'Medieval Warm Period' drought recorded in Lake Huguangyan, tropical South China, *The Holocene* 12: 511-516.

Dahl-Jensen (1998), Temperature history of the summit of the Greenland Ice Sheet, *Science* 282.

Dessler, A.E. (2010), A determination of the cloud feedback from climate variations over the past decade, *Science* 220, 1523-1527.

Dessler, A.E. (2011), Cloud Variations and the Earth's energy budget, *Geophys. Res. Lett.*

- Doran *et al.* (2002), Antarctic Climate Cooling and Terrestrial Ecosystem Response. *Nature* 415: 517-520.
- Grinsted, A., J.C. Moore, V. Pohjola, T. Martma, and E. Isaksson (2006), Svalbard summer melting, continentality, and sea ice extent from the Lomonosovfonna ice core, *Journal of Geophysical Research* 111: 10.1029/2005JD006494.
- Gupta, A.K., M. Das, and D.M. Anderson (2005), Solar influence on the Indian summer monsoon during the Holocene, *Geophysical Research Letters* 32: doi:10.1029/2005GL022685.
- HadCRUt3 (2011), Monthly global mean surface temperature anomalies, 1850-2011, <http://www.cru.uea.ac.uk/cru/data/temperature/hadcrut3gl.txt>.
- Hallett, D.J., R.W. Mathewes, and R.C. Walker, (2003), A 1000-year record of forest fire, drought and lake-level change in southeastern British Columbia, Canada, *The Holocene* 13: 751-761.
- Holzhauser, H., M. Magny, and H.J. Zumbuhl (2005), Glacier and lake-level variations in west central Europe over the last 3500 years, *The Holocene* 15: 789-801.
- IPCC (1990), *Climate Change: The IPCC Scientific Assessment (1990): Report prepared for Intergovernmental Panel on Climate Change by Working Group I*, J. T. Houghton, G.J. Jenkins and J.J. Ephraums (eds.), Cambridge University Press, Cambridge, UK, New York, NY, USA, and Melbourne, Australia.
- IPCC (2007), *Climate Change 2007: the Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change, 2007* [Solomon, S., D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Avery, M. Tignor and H.L. Miller (eds.)], Cambridge University Press, Cambridge, United Kingdom, and New York, NY, USA.
- Johannessen, O.M., *et al.* (2005), Recent Ice-Sheet Growth in the Interior of Greenland, *Scienceexpress*, 20 October.
- Khim, B.-K., H.I. Yoon, C.Y. Kang, and J.J. Bahk (2002), Unstable climate oscillations during the Late Holocene in the Eastern Bransfield Basin, Antarctic Peninsula, *Quaternary Research* 58: 234-245.
- Lindzen, R.S., and Y.-S. Choi (2009), On the determination of feedbacks from ERBE data, *Geophys. Res. Lett.*, 36, L16705.
- Lindzen, R.S., and Y.-S. Choi (2011), On the observational determination of climate sensitivity and its implications, *Asia-Pacific J. Atmos. Sci.*, 47(4), 377-390, doi:10.1007/s13143-011-0023-x.
- Mangini, A., C. Spötl, and P. Verdes (2005), Reconstruction of temperature in the Central Alps during the past 2000 yr from a  $\delta_{18}\text{O}$  stalagmite record, *Earth and Planetary Science Letters* 235: 741-751.

Mann, M.E., R. S. Bradley, and M. K. Hughes (1998), Global-scale temperature patterns and climate forcing over the past six centuries, *Nature* 392, 779-787, doi:10.1038/33859.

Mann, M. E., R. S. Bradley, and M. K. Hughes (1999), Northern hemisphere temperatures during the past millennium: inferences, uncertainties, and limitations, *Geophys. Res. Lett.*, 26(6), 759-762, doi:10.1029/1999GL900070.

Maue, Ryan, 2012, Accumulated Cyclone-Energy Index, 1972-2012, Florida State University, <http://www.coaps.fsu.edu/~maue/tropical>.

McIntyre, S., and R. McKittrick (2003), Corrections to the Mann *et al.* (1998) Proxy Data Base and Northern Hemisphere Average Temperature Series, *Energy & Environment* 14(6), 751-771.

McIntyre, S., and R. McKittrick (2005), Hockey Sticks, Principal Components, and Spurious Significance, *Geophysical Research Letters* 32, doi:1029/2004GL021750.

Mörner, N.-A., 2011, *Sea Level Is Not Rising*, Centre for Democracy and Independence, London, U.K.

NASA (2012), Moon Fact Sheet, <http://nssdc.gsfc.nasa.gov/planetary/factsheet/moonfact.html>.

Noon, P.E., M.J. Leng, and V.J. Jones (2003), Oxygen-isotope ( $\delta_{18}\text{O}$ ) evidence of Holocene hydrological changes at Signy Island, maritime Antarctica, *The Holocene* 13: 251-263.

North, G.R., F. Biondi, P. Bloomfield, J.R. Christy, K.N. Cuffey, R.E. Dickinson, E.R.M. Druffel, D. Nychka, B. Otto-Bliesner, N. Roberts, K.K. Turekian, and J.M. Wallace, (2006), *Surface Temperature Reconstructions for the Last 2000 years*, Committee on Surface Temperature Reconstructions for the Last 2000 Years, Board on Atmospheric Sciences and Climate, Division on Earth and Life Studies, National Research Council of the National Academies of Sciences, The National Academies Press, Washington, D.C., U.S.A., [www.nap.edu](http://www.nap.edu).

Pla, S., and J. Catalan (2005), Chrysophyte cysts from lake sediments reveal the submillennial winter/spring climate variability in the northwestern Mediterranean region throughout the Holocene, *Climate Dynamics* 24: 263-278.

Qiang, M., F., Chen, J. Zhang, S. Gao, and A. Zhou (2005), Climatic changes documented by stable isotopes of sedimentary carbonate in Lake Sagan, north-eastern Tibetan Plateau of China, since 2,000 years before the present, *Chinese Science Bulletin* 50: 1930-1939.

Rein, B., A. Lückge, L. Reinhardt, F. Sirocko, A. Wolf, and W.-C. Dullo (2005), El Niño variability off Peru during the last 20,000 years, *Paleoceanography* 20: 10.1029/2004PA001099.



Rein, B., A. Luckge, and F. Sirocko (2004), A major Holocene ENSO anomaly during the Medieval period, *Geophysical Research Letters* 31: 10.1029/2004GL020161.

Roe, G. ( 2009), Feedbacks, Timescales, and Seeing Red, *Ann. Rev. Earth & Planet. Sci.* 37, 93-115.

Rutgers University Snow Lab (2010), Feb. 13 Northern Hemisphere Snow Cover, [http://climate.rutgers.edu/snowcover/chart\\_daily.php?ui\\_year=2010&ui\\_day=44&ui\\_set=](http://climate.rutgers.edu/snowcover/chart_daily.php?ui_year=2010&ui_day=44&ui_set=)

Scotese, C.R., A.J. Boucot, and W.S. McKerrow (1999), Gondwanan paleogeography and paleoclimatology, *J. Afr. Earth Sci.* 28(1), 99-114.

Sea-ice extent data (Antarctic), 1979-2012, University of Illinois Cryosphere Today Project, [arctic.atmos.uiuc.edu/cryosphere/IMAGES/seaice.anomaly.antarctic.png](http://arctic.atmos.uiuc.edu/cryosphere/IMAGES/seaice.anomaly.antarctic.png)

Sea-ice extent data (Global), 1979-2012, U. of Illinois Cryosphere Today Project, [arctic.atmos.uiuc.edu/cryosphere/IMAGES/global.daily.ice.area.withtrend.jpg](http://arctic.atmos.uiuc.edu/cryosphere/IMAGES/global.daily.ice.area.withtrend.jpg)

Spencer, R.W., and W.D. Braswell (2010), On the diagnosis of radiative feedback in the presence of unknown radiative forcing, *J. Geophys. Res.*, 115, D16109.

Seppa, H. and H.J.B. Birks (2002), Holocene climate reconstructions from the Fennoscandian treeline area based on pollen data from Toskaljavri, *Quaternary Research* 57: 191-199.

Spencer, R.W., and W.D. Braswell (2011), On the misdiagnosis of surface temperature feedbacks from variations in Earth's radiant-energy balance, *Remote Sensing* 3, 1603-1613, doi:10.3390/rs3081603.

Trenberth, K.E., J.T. Fasullo, C. O'Dell, and T. Wong (2010), Relationships between tropical sea-surface temperature and top-of-atmosphere radiation, *Geophys. Res. Lett.* 37, L03702.

Tyson, P.D., W. Karlen, K. Holmgren, and G.A. Heiss (2000), The Little Ice Age and medieval warming in South Africa, *South African Journal of Science* 96: 121-126.

University of Illinois (2012), Antarctic sea-ice extent, 1979-2012.

Wegman, E.J., D.W. Scott, and Y.H. Said (2006), *Ad Hoc Committee Report on the 'Hockey Stick Global Climate Reconstruction*, Committee on Energy & Commerce, U.S. House of Representatives, Washington D.C., U.S.A.

Williams, P.W., D.N.T. King, J.-X. Zhao, and K.D. Collerson (2004), Speleothem master chronologies: combined Holocene 18O and 13C records from the North Island of New Zealand and their palaeoenvironmental interpretation, *The Holocene* 14: 194-208.

Wilson, A.T., C.H. Hendy, and C.P. Reynolds (1979), Short-term climate change and New Zealand temperatures during the last millennium, *Nature* 279: 315-317.

Wong, P. (2010), *Portfolio Budget Statements 2010-11: Budget-Related Paper No. 1.4. Climate Change and Energy Efficiency Portfolio*, Commonwealth of Australia, Canberra, Australia.

Zachos, J., M. Pagani, L. Sloan, E. Thomas, and K. Billups (2001), Trends, Rhythms and Aberrations in Global Climate 65 Ma to Present, *Science* 292, 686-693.